


Plurals

☒ Highlight all hit terms initially

- ☐ Drafts
- ⊖ Pending
- ☐ Active
- ☐ Failed
- ☐ Saved
- ☐ Favorites
- ☐ Tagged (8)
- ☐ UDC
- ☐ Queue
- ☐ Trash

	U	1	Document ID	Issue Dat	Page	Title	Current C
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5026113 A	19910625	24	Sliding and venting sunroof	296/221
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5145188 A	19920908	5	Toothed-belt drive	474/153
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4940450 A	19900710	13	Power transmission svstemusing toothed.be	474/152
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3744330 A	19730710	8	GEARWHEEL ADAPTED TO DRIVE A POSITIVE MOTION	474/153
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6230578 B1	20010515	10	Variable face width gearing	74/462
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3718052 A	19730227	9	GEAR STRUCTURE AND METHOD OF MAKING THE SA	74/462
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030141749	20030731	12	Drive device for motor vehicle sliding sunroof	296/223
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6588834 B2	20030708	14	Sliding roof device	296/216.0



Active

- L1: (1) (("6431644") or ("2002060478")).PN.
- L2: (2) (("6431644") or ("2002060478")).PN.
- L3: (461) (296/223).CCLS.
- L4: (1) 13 and spur near5 belt
- L5: (8) Combined citation search 1
- L6: (1) 13 and cone
- L7: (9) 13 and conical
- L8: (127159) "74"/\$.ccls.
- L9: (27) 18 and (cone or conical) with spur
- L10: (0) 19 and rack with belt
- L11: (4) 19 and belt
- L12: (20298) "474"/\$.ccls.
- L13: (5) 112 and (cone or conical) with rack
- L14: (12) 112 and spur near5 belt
- L15: (261) 112 and (tooth with width)
- L16: (2) 112 and (tooth with variable with width)
- L17: (4) 18 and (tooth with variable with width)
- L18: (452) (74/462).CCLS.
- L19: (3) 118 and variable with width
- L20: (3) 118 and variable with thickness
- L21: (7) 118 and taper\$ with thickness
- L22: (32) 118 and (cone or conical)
- L23: (0) 122 and belt
- L24: (0) 122 and belt

Search List Browse Queue Clear

DBs

US-PGPUB:USPAT

☐ Plurals

Default operator: OR

☒ Highlight all hit terms initially

122 and belt

Drafts

Pending

Active

- L1: (1) (("6431644") c
- L2: (2) (("6431644") c
- L3: (461) (296/223).CC
- L4: (1) 13 and spur ne
- L5: (8) Combined citat
- L6: (1) 13 and cone
- L7: (9) 13 and conical
- L8: (127159) "74"/\$.cc
- L9: (27) 18 and (cone
- L10: (0) 19 and rack w
- L11: (4) 19 and belt
- L12: (20298) "474"/\$.c
- L13: (5) 112 and (cone
- L14: (12) 112 and spur
- L15: (261) 112 and (tc
- L16: (2) 112 and (toot
- L17: (4) 18 and (tooth
- L18: (452) (74/462).CC
- L19: (3) 118 and varia
- L20: (3) 118 and varia
- L21: (7) 118 and taper
- L22: (32) 118 and (cor
- L23: (0) 122 and belt
- L24: (0) 122 and belt

Failed


Saved

Favorites

Tagged (6)

	U	1	Document ID	Issue Dat	Page	Title	Current C
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5026113	19910625	24	Sliding and venting sunroof	296/221
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5145188	19920908	5	Toothed-belt drive	474/153
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4940450	19900710	13	Power transmission svstem using toothed be	474/152
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3744330	19730710	8	GEARWHEEL ADAPTED TO DRIVE A POSITIVE MOTION	474/153
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6230578	20010515	10	Variable face width gearing	74/462
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3718052	19730227	9	GEAR STRUCTURE AND METHOD OF MAKING THE SA	74/462

BRS form Hits Details HTML



Active

- L1: (1) (("6431644") or ("2002060478")).PN.
- L2: (2) (("6431644") or ("2002060478")).PN.
- L3: (461) (296/223).CCLS.
- L4: (1) 13 and spur near5 belt
- L5: (8) Combined citation search 1
- L6: (1) 13 and cone
- L7: (9) 13 and conical
- L8: (127159) "74"/\$.ccls.
- L9: (27) 18 and (cone or conical) with spur
- L10: (0) 19 and rack with belt
- L11: (4) 19 and belt
- L12: (20298) "474"/\$.ccls.
- L13: (5) 112 and (cone or conical) with rack
- L14: (12) 112 and spur near5 belt
- L15: (261) 112 and (tooth with width)
- L16: (2) 112 and (tooth with variable with width)
- L17: (4) 18 and (tooth with variable with width)
- L18: (452) (74/462).CCLS.
- L19: (3) 118 and variable with width
- L20: (3) 118 and variable with thickness
- L21: (7) 118 and taper\$ with thickness
- L22: (32) 118 and (cone or conical)
- L23: (0) 122 and belt
- L24: (0) 122 and belt

DBs

US-PGPUB:USPAT

☐ Plurals

Default operator: OR

☒ Highlight all hit terms initially

122 and belt

☒ Custom form ☒ BRS form ☒ IS&R form ☒ Hits ☒ Details ☒ Image

Drafts

Pending

Active

- L1: (1) (("6431644") or ("2002060478")).PN.
- L2: (2) (("6431644") or ("2002060478")).PN.
- L3: (461) (296/223).CCLS.
- L4: (1) 13 and spur near5 belt
- L5: (8) Combined citation search 1
- L6: (1) 13 and cone
- L7: (9) 13 and conical
- L8: (127159) "74"/\$.ccls.
- L9: (27) 18 and (cone or conical) with spur
- L10: (0) 19 and rack with belt
- L11: (4) 19 and belt
- L12: (20298) "474"/\$.ccls.
- L13: (5) 112 and (cone or conical) with rack
- L14: (12) 112 and spur near5 belt
- L15: (261) 112 and (tooth with width)
- L16: (2) 112 and (tooth with variable with width)
- L17: (4) 18 and (tooth with variable with width)
- L18: (452) (74/462).CCLS.
- L19: (3) 118 and variable with width
- L20: (3) 118 and variable with thickness
- L21: (7) 118 and taper\$ with thickness
- L22: (32) 118 and (cone or conical)
- L23: (0) 122 and belt
- L24: (0) 122 and belt

Failed

Saved

Favorites

Tagged (6)

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error
1	IS&R	L1	1	(("6431644") or ("2002060478")).PN.	US-P GPUB	2005/05/1 6 06:42		
2	IS&R	L2	2	(("6431644") or ("2002060478")).PN.	US-P GPUB	2005/05/1 6 06:44		
3	IS&R	L3	461	(296/223).CCLS.	US-P GPUB	2005/05/1 6 06:44		
4	BRS	L4	1	13 and spur near5 belt	USPA T	2005/05/1 6 06:45		
5	BRS	L5	8	("3163054" "5020850" "5026113"	US-P GPUB	2005/05/1 6 06:49		
6	BRS	L6	1	13 and cone	US-P GPUB	2005/05/1 6 06:49		
7	BRS	L7	9	13 and conical	US-P GPUB	2005/05/1 6 06:51		
8	BRS	L8	127159	"74"/\$.ccls.	USPA T	2005/05/1 6 06:53		
9	BRS	L9	27	18 and (cone or conical) with spur	US-P GPUB	2005/05/1 6 06:55		
10	BRS	L10	0	19 and rack with belt	US-P GPUB	2005/05/1 6 06:55		
11	BRS	L11	4	19 and belt	US-P GPUB	2005/05/1 6 06:56		
12	BRS	L12	20298	"474"/\$.ccls.	US-P GPUB	2005/05/1 6 06:58		
13	BRS	L13	5	112 and (cone or conical) with rack	US-P GPUB	2005/05/1 6 07:00		
14	BRS	L14	12	112 and spur near5 belt	US-P GPUB	2005/05/1 6 07:04		
15	BRS	L15	261	112 and (tooth with width)	US-P GPUB	2005/05/1 6 07:04		
16	BRS	L16	2	112 and (tooth with variable with width)	US-P GPUB	2005/05/1 6 07:05		

☒ BRS form ☒ Hits ☒ Details ☒ HTML

EAST - [radio:2]

File View Edit Tools Window Help

Active

L1: (1) (("6431644") or ("2002060478")).PN.

L2: (2) (("6431644") or ("2002060478")).PN.

L3: (461) (296/223).CCLS.

L4: (1) 13 and spur near5 belt

L5: (8) Combined citation search 1

L6: (1) 13 and cone

L7: (9) 13 and conical

L8: (127159) "74"/\$.ccls.

L9: (27) 18 and (cone or conical) with spur

L10: (0) 19 and rack with belt

L11: (4) 19 and belt

L12: (20298) "474"/\$.ccls.

L13: (5) 112 and (cone or conical) with rack

L14: (12) 112 and spur near5 belt

L15: (261) 112 and (tooth with width)

L16: (2) 112 and (tooth with variable with width)

L17: (4) 18 and (tooth with variable with width)

L18: (452) (74/462).CCLS.

L19: (3) 118 and variable with width

L20: (3) 118 and variable with thickness

L21: (7) 118 and taper\$ with thickness

L22: (32) 118 and (cone or conical)

L23: (0) 122 and belt

L24: (0) 122 and belt

Search List Browse Queue Clear

DBs US-PGPUB:USPAT Plurals

Default operator: OR Highlight all hit terms initially

122 and belt

Custom form BRS form IS&R form Hits Details Image

Drafts

Pending

Active

L1: (1) (("6431644") c

L2: (2) (("6431644") c

L3: (461) (296/223).CC

L4: (1) 13 and spur ne

L5: (8) Combined citat

L6: (1) 13 and cone

L7: (9) 13 and conical

L8: (127159) "74"/\$.cc

L9: (27) 18 and (cone

L10: (0) 19 and rack w

L11: (4) 19 and belt

L12: (20298) "474"/\$.c

L13: (5) 112 and (cone

L14: (12) 112 and spur

L15: (261) 112 and (tc

L16: (2) 112 and (toot

L17: (4) 18 and (tooth

L18: (452) (74/462).CC

L19: (3) 118 and varia

L20: (3) 118 and varia

L21: (7) 118 and taper

L22: (32) 118 and (con

L23: (0) 122 and belt

L24: (0) 122 and belt

Failed

Saved

Favorites


Tagged (6)

	Type	L #	Hits	Search Text	DBs	Time Stam	Comment	Error
9	BRS	L9	27	18 and (cone or conical) with spur	US-P GPUB	2005/05/1 6 06:55		
10	BRS	L10	0	19 and rack with belt	US-P GPUB	2005/05/1 6 06:55		
11	BRS	L11	4	19 and belt	US-P GPUB	2005/05/1 6 06:56		
12	BRS	L12	20298	"474"/\$.ccls.	US-P GPUB	2005/05/1 6 06:58		
13	BRS	L13	5	112 and (cone or conical) with rack	US-P GPUB	2005/05/1 6 07:00		
14	BRS	L14	12	112 and spur near5 belt	US-P GPUB	2005/05/1 6 07:04		
15	BRS	L15	261	112 and (tooth with width)	US-P GPUB	2005/05/1 6 07:04		
16	BRS	L16	2	112 and (tooth with variable with width)	US-P GPUB	2005/05/1 6 07:05		
17	BRS	L17	4	18 and (tooth with variable with width)	US-P GPUB	2005/05/1 6 07:08		
18	IS&R	L18	452	(74/462).CCLS.	USPA T	2005/05/1 6 07:08		
19	BRS	L19	3	118 and variable with width	USPA T	2005/05/1 6 07:10		
20	BRS	L20	3	118 and variable with thickness	USPA T	2005/05/1 6 07:10		
21	BRS	L21	7	118 and taper\$ with thickness	USPA T	2005/05/1 6 07:17		
22	BRS	L22	32	118 and (cone or conical)	USPA T	2005/05/1 6 07:18		
23	BRS	L23	0	122 and belt	USPA T	2005/05/1 6 07:18		
24	BRS	L24	0	122 and belt	US-P GPUB	2005/05/1 6 07:18		

BRS form Hits Details HTML

Ready

NUM



- L11: (4) 19 and belt
- L12: (20298) "474"/\$.ccls.
- L13: (5) 112 and (cone or conical) with rack
- L14: (12) 112 and spur near5 belt
- L15: (261) 112 and (tooth with width)
- L16: (2) 112 and (tooth with variable with width)
- L17: (4) 18 and (tooth with variable with width)
- L18: (452) (74/462).CCLS.
- L19: (3) 118 and variable with width
- L20: (3) 118 and variable with thickness
- L21: (7) 118 and taper\$ with thickness
- L22: (32) 118 and (cone or conical)
- L23: (0) 122 and belt
- L24: (0) 122 and belt
- L25: (2) Combined citation search 2

Failed

- ("296/214.ccls.-296/224.ccls.").CCLS.
- ("296/\$.ccls.").CCLS.
- ("296/\$.ccls.").CCLS.
- S1 and (stop adj2 block))
- M.E.D.
- ("200/\$.ccls.").CCLS.
- ("188/\$.ccls.").CCLS.
- ("296/\$.ccls.").CCLS.
- hi near2 low\$ with cover\$

 US-PGPUB:USPAT:USOCR ☐ Plurals

 Default operator: OR ☐ Highlight all hit terms initially

 ("4634409" | "4687261").PN. OR
 ("4940450").URPN.

☒ Custom form ☒ BRS form ☒ IS&R form ☒ Hits ☒ Details ☒ Image

Drafts

☐ Pending

☒ Active

☐ Failed

☐ Saved

☐ Favorites

☐ Tagged (6)


☐ UDC







☐ Queue

☐ Trash





	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error
10	BRS	L10	0	19 and rack with belt	US-P GPUB	2005/05/1 6 06:55		
11	BRS	L11	4	19 and belt	US-P GPUB	2005/05/1 6 06:56		
12	BRS	L12	20298	"474"/\$.ccls.	US-P GPUB	2005/05/1 6 06:58		
13	BRS	L13	5	112 and (cone or conical) with rack	US-P GPUB	2005/05/1 6 07:00		
14	BRS	L14	12	112 and spur near5 belt	US-P GPUB	2005/05/1 6 07:04		
15	BRS	L15	261	112 and (tooth with width)	US-P GPUB	2005/05/1 6 07:04		
16	BRS	L16	2	112 and (tooth with variable with width)	US-P GPUB	2005/05/1 6 07:05		
17	BRS	L17	4	18 and (tooth with variable with width)	US-P GPUB	2005/05/1 6 07:08		
18	IS&R	L18	452	(74/462).CCLS.	USPA T	2005/05/1 6 07:08		
19	BRS	L19	3	118 and variable with width	USPA T	2005/05/1 6 07:10		
20	BRS	L20	3	118 and variable with thickness	USPA T	2005/05/1 6 07:10		
21	BRS	L21	7	118 and taper\$ with thickness	USPA T	2005/05/1 6 07:17		
22	BRS	L22	32	118 and (cone or conical)	USPA T	2005/05/1 6 07:18		
23	BRS	L23	0	122 and belt	USPA T	2005/05/1 6 07:18		
24	BRS	L24	0	122 and belt	US-P GPUB	2005/05/1 6 07:18		
25	BRS	L25	2	("4634409" "4687261").PN. OR ("4	US-P GPUB	2005/05/1 6 07:34		

☒ BRS form ☒ Hits ☒ Details ☒ HTML

☒ Highlight all hit terms initially

 Custom form
  BRS form
  IS&R form
  Hits
  Details
  Ima

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error
14	BRS	L14	12	l12 and spur near5 belt	US-P GPUB	2005/05/1 6 07:04		
15	BRS	L15	261	l12 and (tooth with width)	US-P GPUB	2005/05/1 6 07:04		
16	BRS	L16	2	l12 and (tooth with variable with width)	US-P GPUB	2005/05/1 6 07:05		
17	BRS	L17	4	l8 and (tooth with variable with width)	US-P GPUB	2005/05/1 6 07:08		
18	IS&R	L18	452	(74/462).CCLS.	USPA T	2005/05/1 6 07:36		
19	BRS	L19	3	l18 and variable with width	USPA T	2005/05/1 6 07:37		
20	BRS	L20	3	l18 and variable with thickness	USPA T	2005/05/1 6 07:10		
21	BRS	L21	7	l18 and taper\$ with thickness	USPA T	2005/05/1 6 07:17		
22	BRS	L22	32	l18 and (cone or conical)	USPA T	2005/05/1 6 07:18		
23	BRS	L23	0	l22 and belt	USPA T	2005/05/1 6 07:18		
24	BRS	L24	0	l22 and belt	US-P GPUB	2005/05/1 6 07:18		
25	BRS	L25	2	("4634409" "4687261").PN. OR ("4	US-P GPUB	2005/05/1 6 07:34		
26	BRS	L26	0	l18 and variable with thickness	US-P GPUB	2005/05/1 6 07:37		
27	BRS	L27	0	l18 and variable with width	US-P GPUB	2005/05/1 6 07:37		
28	BRS	L28	0	l18 and taper\$	USOC R	2005/05/1 6 07:37		
29	BRS	L29	0	l18 and variable with width	USOC R	2005/05/1 6 07:38		

 BRS form
  Hits
  Details
  HTML